INDEX, Vol. 64

ACP1. Human 18kDa phosphotyrosine protein phosphatase ... polymorphism: studies of rare variants provide evidence that substitutions within or near alternatively spliced exons affect splicing result, 107

admixture. Estimation of ... and detection of linkage in admixed populations by a Bayesian approach: application to African-American populations, 171

admixture analysis. Probable ancestors of Hungarian ethnic groups: an, 145

affected sib-pairs. The triangle test statistic (TTS): a test of genetic homogeneity using departure from the triangle constraints in IBD distribution among, 433

affected sib-pairs. Effects of age at onset on the power of the ... and transmission/disequilibrium tests, 239

affected sib pairs. Evaluating linkage and linkage disequilibrium: use of excess sharing and transmission disequilibrium methods in, 419

affected sibs. On efficiency and power robust linkage tests for, 443

African. Northwest ... distribution of the *CD4/Alu* microsatellite haplotypes, 321

African-American populations. Estimation of admixture and detection of linkage in admixed populations by a Bayesian approach: application to, 171

Ahmed, S.
see Wang, W. *et al.*

Akar, N.
see Malaspina, P. *et al.*

allelic association between the *NRAMP1* gene and susceptibility to tuberculosis in Guinea-Conakry, 507

allelic association in the FRAX region, 513

Amorim, A.
see Pereira, L. *et al.*

Amos, W.
see Koeleman, B. P. C. *et al.*

ancestral mutations. The effect of marker characteristics on the power to detect linkage disequilibrium due to single or multiple, 161

angiotensin II type 1 receptor. Association of a polymorphism at 5′-region of the ... with hypertension, 197

association mapping. Fine scale ... of disease loci using simplex families, 223

Atti, G.
see Sollazzo, V. *et al.*

Aubert, R.
see Mammes, O. *et al.*

Bakalli, V.
see Malaspina, P. *et al.*

Barnett, A. H.
see Koeleman, B. P. C. *et al.*

Barton, P. J. R.
see Norman, D. A. M.

Baskett, M. L.
see Jin, L. *et al.*

Bain, S. C.
see Koeleman, B. P. C. *et al.*

Battaloglu, E.
see Onengut, S. *et al.*

Bayesian approach. Estimation of admixture and detection of linkage in admixed populations by a ... : application to African-American populations, 171

Bearer, E. L., Chen, A. F., Chen, A. H., Li, Z., Mark, H. F., Smith, R. J. H. & Jackson, C. L.
2E4/Kaptin (*KPTN*) – a candidate gene for the hearing loss locus, DFNA4, 189

Beres, J.
see Guglielmino, G. R. *et al.*

Bertolani, G.
see Sollazzo, V. *et al.*

beta2-adrenergic receptor allele frequencies in the Quechua, a high altitude native population, 135

Betensky, R. A. & Rabinowitz, D.
simple approximations for the maximal transmission/disequilibrium test with a multi-allelic marker, 567

Betoulle, D.
see Mammes, O. *et al.*

Bittles, A. H.
see Wang, W. *et al.*

Blangero, J.
see Iturria *et al.*

Bourgain, C., Genin, E., Quesneville, H. & Clerget-Darpoux, F.
search for multifactorial disease susceptibility genes in founder populations, 255

branch site mutation. A ... with aberrant splicing of the human tyrosine hydroxylase gene, 375

Brdicka, R.
see Malaspina, P. *et al.*

Brett, P. M.
see King, A. L. *et al.*

Brunelli, G.
see Pezzetti, F. *et al.*

Buckley, M. F.
see Faradz, S. M. H. *et al.*

Cabrera, V. M.
see Flores, C. *et al.*

Calafeh, F.
see Onengut, S. *et al.*

Calzolari, E.
see Sollazzo, V. *et al.*

Campbell, D.
see Koeleman, B. P. C. *et al.*

Carinci, F.
see Pezzetti, F. *et al.*

Carinci, P.
see Pezzetti, F. *et al.*

Carls, F. P.
see Pezzetti, F. *et al.*

Carpenter, J. R.
see McKeigue, P. M. *et al.*

Cavalli-Sforza, L. L.
see Jin, L. *et al.*

CD4/Alu microsatellite. Northwest African distribution of the ... haplotypes, 321

Cervino, A. C. L., Lakis, S., Sow, O. & Hill, A. V. S.
allelic association between the *NRAMP1* gene and susceptibility to tuberculosis in Guinea-Conakry, 6

Chandler, D.
see Wang, W. *et al.*
Chen, A. F.
see Bearer, E. L. *et al.*
Chen, A. H.
see Bearer, E. L. *et al.*
Ciclitira, P. J.
see King, A. L. *et al.*
Clerget-Darpoux, F.
see Bourgain, C. *et al.*
see Dizier, M. H. *et al.*
coeliac disease. A genome-wide family-based linkage study of, 479
Collins, A.
see Ennis, S. *et al.*
conditional ETDT analysis of the Human Leukocyte Antigen region in type 1 diabetes, 215
Conditional Extended Transmission/Disequilibrium Test. Adaptation of the extended transmission/disequilibrium test to distinguish disease associations of multiple loci: the, 207
congenital dysplasia of the hip. A two-locus model for non-syndromic ... (CDH), 51
consanguinity. A genome-based study of ... in three co-resident endogamous Pakistan communities, 41
Coppin, B.
see Dennis, N. *et al.*
Cordell, H. J.
see Koeleman, B. P. C. *et al.*
Cowell, J. K.
see Liu, S.
Cruciani, F.
see Malaspina, P. *et al.*
Cucca, F.
see Koeleman, B. P. C. *et al.*
Curran, J. L.
see Robinson, J. L. *et al.*
Curtis, D.
see Sham, P. *et al.*
see Sham, P. C. *et al.*
see King, A. L. *et al.*
CYP2A6 locus. The use of long PCR to confirm three common alleles at the ... and the relationship between genotype and smoking habit, 383

Day, I. N. M.
see Gu, D. F. *et al.*
Dearlove, A. M.
see King, A. L. *et al.*
Dennis, N., Coppin, B., Turner, C., Skuse, D. & Jacobs, P.
a clinical, cytogenetic and molecular study of 47 females with r(X) chromosomes, 277
Denniston, C.
equivalence by descent: pedigree analysis with inbreeding and gametic phase disequilibrium, 61
De Silvestri, A.
see Guglielmino, G. R. *et al.*
Devine, D. V.
see Rupert, J. L. *et al.*
Deymeer, F.
see Onengut, S. *et al.*
diabetes. Conditional ETDT analysis of the Human Leukocyte Antigen region in type 1, 215
Dissing, J.
see Rudbeck, L. *et al.*
Dizier, M. H., Quesneville, H., Prum, B., Selinger-Leneman, H. & Clerget-Darpoux, F.
the triangle test statistic (TTS): a test of genetic homogeneity using departure from the triangle constraints in IBD distribution among affected sib-pairs,
Dudbridge, F.
see Koeleman, B. P. C. *et al.*
dystrophin gene. deletion pattern in the ... in the Turks and a comparison with Europeans and Indians, 33

Elgar, K.
see Kuntsi, J. *et al.*
Ellis, F. R.
see Robinson, J. L. *et al.*
Ellis, H. J.
see King, A. L. *et al.*
EM algorithm. An ... for obtaining maximum likelihood estimates in the multi-phenotype variance components linkage model, 349
endothelin pathway genes. Linkage analysis of candidate ... in nonsyndromic familial orofacial cleft, 341
Ennis, S., Collins, A., Murray, A., Macpherson, J. N. & Morton, N. E.
allelic association in the FRAX region, 513
estimating equations theory. Applications of the ... to genetic epidemiology, 1
Europe. Patterns of male-specific inter-population divergence in ... West Asia and North Africa, 395
Europeans. Deletion pattern in the dystrophin gene in the Turks and a comparison with ... and Indians, 33

Faradz, S. M. H., Pattiiha, M. Z., Leigh, D. A., Jenkins, M., Leggo, J., Buckley, M. F. & Holden, J. J. A.
genetic diversity at the *FMR1* locus in the Indonesian population, 329
Feldman, M. W.
see Jin, L. *et al.*
Flanders, W. D.
see Sun, F. Z. *et al.*
Flores, C., Maca-Meyer, N., Gonzalez, A. M. & Cabrera, V. M.
northwest African distribution of the *CD4/Alu* microsatellite haplotypes, 321
FMR1 locus. genetic diversity at the ... in the Indonesian population, 329
FMR2 gene. The ... FRAXE and non-specific X-linked mental retardation: clinical and molecular aspects, 95
founder populations. Search for multifactorial disease susceptibility genes in, 255
FRAX region. Allelic association in the, 513
FRAXE. The *FMR2* gene ... and non-specific X-linked mental retardation: clinical and molecular aspects, 95
Freidlin, B.
see Gastwirth, J. L.
Fumeron, F.
see Mammes, O. *et al.*

gametic phase disequilibrium. Equivalence by descent: pedigree analysis with inbreeding and, 61
Gastwirth, J. L. & Freidlin, B.

on efficiency and power robust linkage tests for affected sibs, 443
Gecz, J.
the *FMR2* gene, FRAXE and non-specific X-linked mental retardation: clinical and molecular aspects, 95
GFI1 Proto-oncogene. Cloning and characterisation of the TATA-less promoter from the human, 83
Genin, E.
see Bourgain, C. *et al.*
Gombos, F.
see Pezzetti, F. *et al.*
Gonzalez, A. M.
see Flores, C. *et al.*
Gu, D. F., Hinks, L. J., Morton, N. E. & Day, I. N. M.
the use of long PCR to confirm three common alleles at the CYP2A6 locus and the relationship between genotype and smoking habit, 383
Guglielmino, G. R., De Sivestri, A. & Beres, J.
probable ancestors of Hungarian ethnic groups: an admixture analysis, 145
Guinea-Conakry. Allelic association between the *NRAMP1* gene and susceptibility to tuberculosis in, 507

Hall, R.
review of *Diagnostic Cytogenetics* by R. D. Wegner, 187
Hall, W. J.
see Robinson, J. L. *et al.*
Halsall, P. J.
see Robinson, J. L. *et al.*
Hamilton, W. D.
review of *Dysgenics: Genetic Deterioration in Modern Populations* by R. Lynn, 363
Hardcastle, A.
review of *Positional Cloning by Exon Trapping and cDNA Selection*, edited by B. Korn, M. L. Yaspo, H. Lehrach & A. Poustka, 90
Haussler, M.
see Janssen, R. J. R. *et al.*
hearing loss locus, DFNA4. 2E4/Kaptin (*KPTN*) – a candidate gene of the, 189
Herbeth, B.
see Mammes, O. *et al.*
Herr, M.
see Koeleman, B. P. C. *et al.*
Hill, A. V. S.
see Cervino, A. C. L. *et al.*
Hinks, L. J.
see Gu, D. F. *et al.*
Hochachka, P. W.
see Rupert, J. L. *et al.*
Hoffman, G. F.
see Janssen, R. J. R. *et al.*
Hoh, J., Wille, A., Zee, R., Lindpainter, K. & Ott, J.
selecting SNPs in two-stage analysis of disease association data: a model-free approach, 413
Holden, J. J. A.
see Faradz, S. M. H. *et al.*
Hopkins, P. N.
see Robinson, J. L. *et al.*
Hsu, L.
see Li, H.
Huang, J.
see Wang, K. *et al.*
Human Leukocyte Antigen region. Conditional ETDT analysis of the ... in type 1 diabetes, 215
Humphries, S. E.
see Talmud, P. J. *et al.*
Hungarian ethnic groups. Probable ancestors of ... : an admixture analysis, 145
hypertension. Association of a polymorphism at 5′-region of the angiotensin II type 1 receptor with, 197

IBD distribution. The triangle test statistic (TTS): a test of genetic homogeneity using departure from the triangle constraints ... among affected sib-pairs, 433
IkBR gene (*NFKBIL2*), isolation, sequence, and chromosomal localization of the human, 15
Iles, D. E.
see Robinson, J. L. *et al.*
Inagami, T.
see Takahashi, N. *et al.*
inbreeding. Equivalence by descent: pedigree analysis with ... and gametic phase disequilibrium, 61
Indonesian population. Genetic diversity at the *FMR1* locus in the, 329
Iturria, S. J. & Blangero, J.
an EM algorithm for obtaining maximum likelihood estimates in the multi-phenotype variance components linkage model, 349
Indians. Deletion pattern in the dystrophin gene in the Turks and a comparison with Europeans and, 33

Jackson, C. L.
see Bearer, E. L. *et al.*
Jacobs, P.
see Dennis, N. *et al.*
Janssen, R. J. R., Wevers, R. A., Luyten, J. A. F., Steenburgen-Spanjers, G. C. H., Haussler, M., Hoffman, G. F., Nagatsu, T. & Van Den Heuvel, L. P. W.
a branch site mutation with aberrant splicing of the human tyrosine hydroxylase gene, 375
Jenkins, M.
see Faradz, S. M. H. *et al.*
Jin, L., Baskett, M. L., Cavalli-Sforza, L. L., Zhivotovsky, L. A., Feldman, M. W. & Rosenberg, N. A.
microsatellite evolution in modern humans: a comparison of two data sets from the same population, 117

Kaptin. 2E4/ ... (*KPTN*) – a candidate gene of the hearing loss locus, DFNA4, 189
Kasagi, F.
see Takahashi, N. *et al.*
Kavaslar, G. N.
see Onengut, S. *et al.*
King, A. L., Yannakou, J. Y., Brett, P. M., Curtis, D., Morris, M. A., Dearlove, A. M., Rhodes, M., Rosen-Bronsen, S. R., Mathew, C., Ellis, H. J. & Ciclitira, P. J.
a genome-wide family-based linkage study of coeliac disease, 10.
Kodama, K.
see Takahashi, N. *et al.*
Koeleman, B. P. C., Dudbridge, F., Cordell, H. J. & Todd, J. A.
adaptation of the extended transmission/disequilibrium

test to distinguish disease associations of multiple loci: the Conditional Extended Transmission/ Disequilibrium Test, 207
Koeleman, B. P. C., Herr, M., Zavattari, P., Dudbridge, F., March, R., Campbell, D., Barnett, A. H., Bain, S. C., Mulargia, A. P., Loddo, M., Amos, W., Cucca, F. & Todd, J. A.
conditional ETDT analysis of the Human Leukocyte Antigen region in type 1 diabetes, 215
Korn, B., Yaspo, M. L., Lehrach, H. & Poustka, A., *eds. Positional Cloning by Exon Trapping and cDNA Selection*, reviewed by A. Hardcastle, 90
Kuntsi, J., Skuse, D., Elgar, K., Morris, E. & Turner, C.
ring-X chromosomes: their cognitive and behavioural phenotype, 295

Lakis, S.
see Cervino, A. C. L. *et al.*
Lazaruk, K. D. A.
see Rudbeck, L. *et al.*
Leggo, J.
see Faradz, S. M. H. *et al.*
Leigh, D. A.
see Faradz, S. M. H. *et al.*
LEP gene. Association of the G2548A polymorphism in the 5′ region of the ... with overweight, 391
Li, H. & Hsu, L.
effects of age at onset on the power of the affected sib pairs and transmission/disequilibrium tests, 239
Li, Z.
see Bearer, E. L. *et al.*
Lin, S.
Monte Carlo methods for linkage analysis of two-locus disease models, 519
Lindpainter, K.
see Hoh, J. *et al.*
linkage disequilibrium. The effect of marker characteristics on the power to detect ... due to single or multiple ancestral mutations, 161
linkage disequilibrium. Evaluating linkage and ...: use of excess sharing and transmission disequilibrium methods in affected sib pairs, 419
lipid levels. Effect of Microsomal Triglyceride Transfer Protein gene variants (−493 > T, Q95H and H297Q) on plasma ... in healthy middle-aged UK men, 269
Liu, S. & Cowell, J. K.
cloning and characterisation of the TATA-less promoter from the human *GFI1* Proto-oncogene, 83
Loddo, M.
see Koeleman, B. P. C. *et al.*
long PCR. The use of ... to confirm three common alleles at the CYP2A6 locus and the relationship between genotype and smoking habit, 383
Luyten, J. A. F.
see Janssen, R. J. R. *et al.*

Maca-Meyer, N.
see Flores, C. *et al.*
Macpherson, J. N.
see Ennis, S. *et al.*
Malaspina, P., Cruciani, F., Santolamazza, P., Torroni, A., Pangrazio, A., Akar, N., Bakalli, V., Brdicka, R., Jaruzelska, J., Kozlov, A., Malyarchuk, B., Mehdi, S. Q., Michalodimitrakis, E., Varesi, L., Memmi, M. M., Vona, G., Villems, R., Parik, J., Romano, V., Stefan, M., Stenico, M., Terrenato, L., Novelletto, A. & Scozzari, R.
patterns of male-specific inter-population divergence in Europe, West Asia and North Africa, malignant hyperthermia. Multiple interacting gene products may influence susceptibility to, 395
Mammes, O., Betoulle, D, Aubert, R., Herbeth, B., Siest, G. & Fumeron, F.
association of the G2548A polymorphism in the 5′ region of the *LEP* gene with overweight, 391
March, R.
see Koeleman, B. P. C. *et al.*
Mark, H. F.
see Bearer, E. L. *et al.*
Mathew, C.
see King, A. L. *et al.*
McKeigue, P. M., Carpenter, J. R., Parra, E. J. & Shriver, M. D.
estimation of admixture and detection of linkage in admixed populations by a Bayesian approach: application to African-American populations, 171
Martinelli, M.
see Pezzetti, F. *et al.*
mental retardation. The *FMR2* gene, FRAXE and non-specific X-linked ... : clinical and molecular aspects, 95
microsatellite evolution in modern humans: a comparison of two data sets from the same population, 117
Microsomal Triglyceride Transfer Protein. Effect of ... gene variants (−493 > T, Q95H and H297Q) on plasma lipid levels in healthy middle-aged UK men, 269
Miller, G.
see Talmud, P. J. *et al.*
Monsalve, M. V.
see Rupert, J. L. *et al.*
Monte Carlo methods for linkage analysis of two-locus disease models, 12
Morris, A. P. & Whittaker, J. C.
Fine scale association mapping of disease loci using simplex families, 223
Morris, E.
see Kuntsi, J. *et al.*
Morris, M. A.
see King, A. L. *et al.*
Morton, N. E.
see Gu, D. F. *et al.*
see Ennis, S. *et al.*
mtDNA lineages. Diversity of ... in Portugal: not a genetic edge of European variation, 14
Mulargia, A. P.
see Koeleman, B. P. C. *et al.*
multifactorial disease susceptibility genes. Search for ... in founder populations, 255
multi-phenotype variance components linkage model. An EM algorithm for obtaining maximum likelihood estimates in the, 349
Murakami, H.
see Takahashi, N. *et al.*
Murray, A.
see Ennis, S. *et al.*

Nagatsu, T.
see Janssen, R. J. R. *et al.*
Nishishita, T.
see Takahashi, N. *et al.*

Norman, D. A. M. & Barton P. J. R.
isolation, sequence, and chromosomal localization of the human IkBR gene (*NFKBIL2*), 15
North Africa. Patterns of male-specific inter-population divergence in Europe, West Asia and, 395
NRAMP1 gene. Allelic association between the ... and susceptibility to tuberculosis in Guinea-Conakry, 507

Onengut, S., Kavaslar, G. N., Battaloglu, E., Serdaroglu, P., Deymeer, F., Ozdemir, C., Calafell, F. & Tolun, A.
deletion pattern in the dystrophin gene in the Turks and a comparison with Europeans and Indians, 33
orofacial cleft. Linkage analysis of candidate endothelin pathway genes in nonsyndromic familial, 341
Ott, J.
Analysis of Genetic Linkage, reviewed by D. Waterworth, 89
see Hoh, J. *et al.*
overweight. Association of the G2548A polymorphism in the 5′ region of the LEP gene with, 391
Ozdemir, C.
see Onengut, S. *et al.*

Pakistan communities. A genome-based study of consanguinity in three co-resident endogamous, 41
Palmen, J.
see Talmud, P. J. *et al.*
Palomba, F.
see Pezzetti, F. *et al.*
Pangrazio, A.
see Malaspina, P. *et al.*
Parkinsonism. Four novel mutations in the Tyrosine Hydroxylase gene in patients with infantile, 25
Parra, E. J.
see Mckeigue, P. M. *et al.*
Pattiiha, M. Z.
see Faradz, S. M. H. *et al.*
Pereira, L., Prata, M. J. & Amorim, A.
diversity of mtDNA lineages in Portugal: not a genetic edge of European variation, 491
Pezzetti, F., Scapoli, L., Martinelli, M., Carinci, F., Brunelli, G., Carls, F. P., Palomba, F., Gombos, F., Carinci, P. & Tognon, M.
linkage analysis of candidate endothelin pathway genes in nonsyndromic familial orofacial cleft, 341
Polak, J. M. & McGee, J. O'D., *eds.*
In Situ Hybridization, reviewed by R. S. Verma, 89
Portugal. Diversity of mtDNA lineages in ... : not a genetic edge of European variation, 491
posterior probability. The consistency of the ... of linkage, 533
Prata, M. J.
see Pereira, L. *et al.*
promoter. Cloning and characterisation of the TATA-less ... from the human *GFI1* Proto-oncogene, 83
Prum, B.
see Dizier, M. H. *et al.*

Quechua. Beta2-adrenergic receptor allele frequencies in the ... a high altitude native population, 135
Quesneville, H.
see Bourgain, C. *et al.*
see Dizier, M. H. *et al.*

Rabinowitz, D.
see Betensky, R. A.
Renier, W. O.
see Swaans, R. J. M. *et al.*
Rhodes, M.
see King, A. L. *et al.*
Robinson, R. L., Curran, J. L., Ellis, F. R., Halsall, P. J., Hall, W. J., Hopkins, P. N., Iles, D. E., West, S. P. & Shaw, M. A.
multiple interacting gene products may influence susceptibility to malignant hyperthermia, 307
Rondot, P.
see Swaans, R. J. M. *et al.*
Rosen-Bronsen, S. R.
see King, A. L. *et al.*
Rosenberg, N. A.
see Jin, L. *et al.*
Rudbeck, L., Dissing, J., Lazaruk, K. D. A. & Sensabaugh, G.
human 18kDa phosphotyrosine protein phosphatase (*ACP1*) polymorphism: studies of rare variants provide evidence that substitutions within or near alternatively spliced exons affect splicing result, 107
Rupert, J. L., Monsalve, M. V., Devine, D. V. & Hochachka, P. W.
beta2-adrenergic receptor allele frequencies in the Quechua, a high altitude native population, 135
ring-X chromosomes: their cognitive and behavioural phenotype, 295
r(X) chromosomes. A clinical, cytogenetic and molecular study of 47 females with, 277

Santolamazza, P.
see Malaspina, P. *et al.*
Scapoli, C.
see Sollazzo, V. *et al.*
Scapoli, L.
see Pezzetti, F. *et al.*
Selinger-Leneman, H.
see Dizier, M. H. *et al.*
Sensabaugh, G.
see Rudbeck, L. *et al.*
Serdaroglu, P.
see Onengut, S. *et al.*
Sham, P., Zhao, J. H., Waldman, I. & Curtis, D.
Should ambiguous trios for the TDT be discarded?, 575
Sham, P. C., Zhao, J. H. & Curtis, D.
the effect of marker characteristics on the power to detect linkage disequilibrium due to single or multiple ancestral mutations, 161
Shaw, M. A.
see Robinson, J. L. *et al.*
Shriver, M. D.
see McKeigue, P. M. *et al.*
Siest, G.
see Mammes, O. *et al.*
Skuse, D.
see Dennis, N. *et al.*
see Kuntsi, J. *et al.*
Smith, C. A. B.
Review of *Lionel Sharples Penrose: A Biography*, by M. Smith, 91
Smith, M.
Lionel Sharples Penrose: A Biography, reviewed by C. A. B. Smith, 91

Smith, R. J. H.
see Bearer, E. L. *et al.*
smoking habit. The use of long PCR to confirm three common alleles at the CYP2A6 locus and the relationship between genotype and, 383
SNPs. Selecting ... in two-stage analysis of disease association data: a model-free approach, 413
Sollazzo, V., Bertolani, G., Calzolari, E., Atti, G. & Scapoli, C.
a two-locus model for non-syndromic congenital dysplasia of the hip (CDH), 51
Sow, O.
see Cervino, A. C. L. *et al.*
splicing. Human 18kDa phosphotyrosine protein phosphatase (*ACP1*) polymorphism: studies of rare variants provide evidence that substitutions within or near alternatively spliced exons affect ... result, 107
Steenbergen-Spanjers, G. C. H.
see Swaans, R. J. M. *et al.*
see Janssen, R. J. R. *et al.*
Sullivan, S. G.
see Wang, W. *et al.*
Sun, F. Z., Flanders, W. D., Yang, O. H. & Zhao, H. Y.
Transmission/disequilibrium tests for quantitative traits, 555
Swaans, R. J. M., Rondot, P., Renier, W. O., Van den Heuvel, L. P. W. J., Steenbergen-Spanjers, G. C. H. & Wevers, R. A.
four novel mutations in the Tyrosine Hydroxylase gene in patients with infantile Parkinsonism, 25

Takahashi, N., Murakami, H., Kasagi, F., Yamada, M., Kodama, K., Nishishita, T. & Inagami, T.
association of a polymorphism at 5′-region of the angiotensin II type 1 receptor with hypertension, 197
Talmud, P. J., Palmen, J., Miller, G. & Humphries, S. E.
effect of Microsomal Triglyceride Transfer Protein gene variants (−493 > T, Q95H and H297Q) on plasma lipid levels in healthy middle-aged UK men, 269
TDT. Should ambiguous trios for the ... be discarded?, 575
Tiret, L.
see Tregouet, D. A.
Todd, J. A.
see Koeleman, B. P. C. *et al.*
Tognon, M.
see Pezzetti, F. *et al.*
Tolun, A.
see Onengut, S. *et al.*
Torroni, A.
see Malaspina, P. *et al.*
transmission disequilibrium methods. Evaluating linkage and linkage disequilibrium: use of excess sharing and ... in affected sib pairs, 419
transmission/disequilibrium test. Simple approximations for the maximal ... with a multi-allelic marker, 567
transmission/disequilibrium test. Adaptation of the extended ... to distinguish disease associations of multiple loci: the Conditional Extended Transmission/Disequilibrium Test, 207
transmission/disequilibrium tests. Effects of age at onset on the power of the affected sib pairs and, 239
transmission/disequilibrium tests for quantitative traits, 555
Tregouet, D. A. & Tiret, L.
applications of the estimating equations theory to genetic epidemiology, 1
triangle test statistic. The ... (TTS): a test of genetic homogeneity using departure from the triangle constraints in IBD distribution among affected sib-pairs, 433
tuberculosis. Allelic association between the *NRAMP1* gene and susceptibility to ... in Guinea-Conakry, 507
Turks. Deletion pattern in the dystrophin gene in the ... and a comparison with Europeans and Indians, 33
Turner, C.
see Dennis, N. *et al.*
see Kuntsi, J. *et al.*
two-locus disease models. Monte Carlo methods for linkage analysis of, 519
tyrosine hydroxylase gene. A branch site mutation with aberrant splicing of the human, 375
Tyrosine Hydroxylase gene. Four novel mutations in the ... in patients with infantile Parkinsonism, 25

UK men. Effect of Microsomal Triglyceride Transfer Protein gene variants (−493 > T, Q95H and H297Q) on plasma lipid levels in healthy middle-aged, 269

Van den Heuvel, L. P. W. J.
see Swaans, R. J. M. *et al.*
see Janssen, R. J. R. *et al.*
Verma, R. S.
review of *In Situ Hybridization*, edited by J. M. Polak & J. O'D. McGee, 89
Vieland, V. J.
see Wang, K. *et al.*

Waldman, I.
see Sham, P. *et al.*
Wang, K., Huang, J. & Vieland, V. J.
the consistency of the posterior probability of linkage, 533
Wang, W., Sullivan, S. G., Ahmed, S., Chandler, D., Zhivotovsky, L. A. & Bittles, A. H.
a genome-based study of consanguinity in three co-resident endogamous Pakistan communities, 41
Waterworth, D.
review of *Analysis of Genetic Linkage* by J. Ott, 89
Wegner, R. D.
Diagnostic Cytogenetics, reviewed by R. Hall, 187
West, S. P.
see Robinson, J. L. *et al.*
West Asia. Patterns of male-specific inter-population divergence in Europe ... and North Africa, 395
Wevers, R. A.
see Swaans, R. J. M. *et al.*
see Janssen, R. J. R. *et al.*
Whittaker, J. C.
see Morris, A. P.
Wicks, J. & Wilson, S. R.
evaluating linkage and linkage disequilibrium: use of excess sharing and transmission disequilibrium methods in affected sib pairs, 419
Wille, A.
see Hoh, J. *et al.*
Wilson, S. R.
see Wicks, J.

Yamada, M.
see Takahashi, N. *et al.*
Yang, O. H.
see Sun, F. Z. *et al.*
Yannakou, J. Y.
see King, A. L. *et al.*

Zavattari, P.
see Koeleman, B. P. C. *et al.*
Zee, R.
see Hoh, J. *et al.*
Zhao, H. Y.
see Sun, F. Z. *et al.*
Zhao, J. H.
see Sham, P. *et al.*
see Sham, P. C. *et al.*
Zhivotovsky, L. A.
see Wang, W. *et al.*
see Jin, L. *et al.*